

Test Report

No.: WEB250926004RC

Date: Oct.16, 2025

Page 1 of 9

Applicant : Marstek Energy Co., Limited**Address** : 7/F Room R 118 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong.**Manufacturer** Hamedata Technology Co., Limited**Address** 1-3F & 6-8F, BLDG#A, Changfang Industrial Park, No.2 Guihua 5th Road, Pingshan District, Shenzhen, Guangdong, China**Report on the submitted sample(s) said to be:****Sample Name** : Power Station**Model** : M2200**Trade mark** : **MARSTEK****Received Date** : Sep. 26, 2025**Test Period** : Sep. 26, 2025~ Oct. 16, 2025**Test Results** : Please refer to next page (s).**Test Request**

(1)As specified by client, to assess the Reuse/Recycling/Recovery Rate of the submitted sample under article 11 and Annex V of Directive 2012/19/EU.

Conclusion

Pass

Signed for and on behalf of WEBB


Young/Laboratory Manager



Test Report

No.: WEB250926004RC

Date: Oct.16, 2025

Page 2 of 9

1. General Information

Product Name	Power Station
Product Model	M2200
Product Weight	27.70kg
Category under the WEEE Directive	The fifth and small equipment
	

2. Result of Reuse/Recycling/Recovery Assessment

Reuse/Recycling/Recovery	Reuse/Recycling (%)	Recovery (%)
Reuse/Recycling/Recovery Targets under the 2012/19/EU WEEE Directive	55%	75%
Result of Assessment	86.4	86.4
requirement compliance	Pass	Pass


Test Report

No.: WEB250926004RC

Date: Oct.16, 2025

Page 3 of 9

3. Appearance of the Product



4. Selective Treatment for Materials and Components

According to Articles 8(2) and the Annex VII of the WEEE Directive, this product contains components and material items are described in the following table.

Component/Material	Photo No.	Size & Quantity	Weight(kg)
Printed circuit boards, and of other devices if the surface of the printed circuit board is greater than 10 square centimeters	A3	$(0.9*2+4.4*1+5.8*2+12.5*1+28*1) \text{ cm}^2$	3.20
Battery	A6	71.5cm^2	14.0

Test Report

No.: WEB250926004RC

Date: Oct.16, 2025

Page 4 of 9

5. Disassembly Tree



Test Report

No.: WEB250926004RC

Date: Oct.16, 2025

Page 5 of 9

6. Disassembly Procedure

The disassembly procedure taken here is in accordance with the treatment requirements under the Annex VII of the WEEE Directive. In addition, to consider economic and efficient factors, manual operation and disassembly tools have been applied to separate the components and materials from this product in order to simulate the scenario at the treatment facility, and to achieve the objective that the separated components and materials can be reused, recycled and recovered.






6.1 Connection technique:

For this product, the connection technology including as following:

Glue: 0 Snap : 0 Screw : 4

6.2 Disassembly tool:

The disassembly tools used for this product show as following:

Disassembly Tool	
 <p>Nipper pliers</p>	 <p>Scissors</p>
 <p>Spanner</p>	 <p>Hexagonal wrench</p>
 <p>Screwdriver</p>	<p>BLANK</p>

Test Report

No.: WEB250926004RC

Date: Oct.16, 2025

Page 6 of 9

7. Material and Recycling Information

According to the information declared by the applicant company, the material and recycling information for this product is described in the following table.

The reuse, recycling and recovery assessment for this product is based upon economic and efficient considerations, and the waste treatment technologies and equipment that are most frequently available to the market.

Photo No.	Component	Material Composition	Weight (kg)	Reuse/ Recycling Weight (kg)	Energy Recovery Weight (kg)	Recovery Weight (kg)
A1	Metal materials	Metal	6.35	5.84	0	5.84
A2	Plastic materials	Plastic	2.95	2.63	0	2.63
A3	PCB	Plastic+Metal+PCBA+other	3.20	2.37	0	2.37
A4	Electric wire	Metal+PVC+others	1.10	0.91	0	0.91
A5	Screen	Glass+FPC+Plastic+others	0.05	0.04	0	0.04
Total			13.65	11.79	0	11.79

Note:

- Due to their insignificant weight and the difficulty of their separation in a manual operation, sticker, solder, Paint and printing materials are not included in this assessment.
- Plastic containing brominated flame retardants is not assessed in the list.
- Battery is not assessed in the list.

8. Recycling and Recovery Rate Calculation

Reuse Recycling& Recovery Rate using in the report are calculated as following formulas:

- Reuse & Recycling Rate= Reuse & Recycling Weight/Product Total Weight(%)
- Recovery Rate= (Reuse & Recycling Weight +Energy Recovery Weight)/ Product Total Weight(%)
- Total weight of the product is including the main product and accessories

Test Report

No.: WEB250926004RC

Date: Oct.16, 2025

Page 7 of 9

9. Requirement of Reuse / Recycling Rate and Recovery Rate

According to article 11 and Annex V part 3 Minimum targets applicable by category from 15 August 2018 with reference to the categories listed in Annex III:

Categories of WEEE	Minimum Reuse/ Recycling Rate	Minimum Recovery Rate
1.Temperature exchange equipment	80%	85%
2. Screens, monitors, and equipment containing screens having a surface greater than 100 cm ²	70%	80%
3.Lamps	/	80%
4. Large equipment (any external dimension more than 50 cm)	80%	85%
5. Small equipment (no external dimension more than 50 cm)	55%	75%
6. Small IT and telecommunication equipment (no external dimension more than 50 cm)	55%	75%

10. ANNEX VII of WEEE Directive

Selective treatment for materials and components of waste electrical and electronic equipment referred to in Article 8(2)

- polychlorinated biphenyls (PCB) containing capacitors in accordance with Council Directive 96/59/EC of 16 September 1996 on the disposal of polychlorinated biphenyls and polychlorinated terphenyls (PCB/PCT)
- mercury containing components, such as switches or backlighting lamps.
- Batteries
- printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimetres
- toner cartridges, liquid and paste, as well as colour toner.
- Plastic containing brominated flame retardants.
- Asbestos waste and components which contain asbestos.
- Cathode ray tubes.
- Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC), hydrocarbons (HC).
- Gas discharge lamps.
- Liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimeters and all those back-lighted with gas discharge lamps.
- External electric cables.

Test Report

No.: WEB250926004RC

Date: Oct.16, 2025

Page 8 of 9

- Components containing refractory ceramic fibres as described in Commission Directive 97/69/EC of 5 December 1997 adapting to technical progress Council Directive 67/548/EEC relating to the classification, packaging and labelling of dangerous substances.
- Components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionising radiation.
- Electrolyte capacitors containing substances of concern (height>25mm, diameter>25mm or proportionately similar volume)

11. Recommendations for WEEE Directive Compliance

- In order to avoid the product not meeting the reuse/recycling/recovery/targets regulated under the WEEE Directive and the regulations of EU countries, the applicant company should, when selecting material and components design, consider they can be easy to reuse and recycling. This consideration will lessen the impact of the required international environmental directives and also improve the product's competitiveness. - It is recommended that the applicant company, when designing new product, especially where components and materials have a large weight ratio, should consider using recyclable materials in order to increase the product's reuse/recycling/recovery ratio.
- The product should apply to the RoHS Directive (Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronics equipment). The hazardous substance specification in the Directive should be controlled in the homogenous material of this product.
- If a product has changed its product design, or materials or components employed, then the product should be reassessed and retested in accordance with the WEEE Directive for reuse/recycling/recovery assessment and RoHS for restricted/banned substances requirements.

*** End of Report ***

Test Report

No.: WEB250926004RC

Date: Oct.16, 2025

Page 9 of 9

Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Shen Zhen Webb Testing Technology Co.,Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").
2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
7. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
8. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.
10. Further enquiry of validity or verification of the Report should be addressed to the company.